



# OSLC Tracked Resource Set Version 3.0. Part 2: Vocabulary

## Project Specification 01 07 February 2022

### This stage:

<https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/ps01/tracked-resource-set-vocab.html> (Authoritative)  
<https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/ps01/tracked-resource-set-vocab.pdf>

### Previous stage:

<https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/psd01/tracked-resource-set-vocab.html> (Authoritative)  
<https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/psd01/tracked-resource-set-vocab.pdf>

### Latest stage:

<https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/tracked-resource-set-vocab.html> (Authoritative)  
<https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/tracked-resource-set-vocab.pdf>

### Latest version:

<https://open-services.net/spec/trs/latest>

### Latest editor's draft:

<https://open-services.net/spec/trs/latest-draft>

### Open Project:

[OASIS Open Services for Lifecycle Integration \(OSLC\) Open Project](#)

### Project Chairs:

Jim Amsden ([jamsden@us.ibm.com](mailto:jamsden@us.ibm.com)), IBM  
Andrii Berezhovskyi ([andriib@kth.se](mailto:andriib@kth.se)), KTH

### Editor:

Nick Crossley ([nick\\_crossley@us.ibm.com](mailto:nick_crossley@us.ibm.com)), IBM

### Additional components:

This specification is one component of a Work Product that also includes:

- OSLC TRS Version 3.0. Part 1: Specification. <https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/ps01/tracked-resource-set.html>
- OSLC TRS Version 3.0. Part 2: Vocabulary (this document). <https://docs.oasis-open-projects.org/oslc-op/trs/v3.0/ps01/tracked-resource-set-vocab.html>

- OSLC TRS Version 3.0. Part 3: Constraints. <https://docs.oasis-open-projects.org/oslcp/trs/v3.0/ps01/tracked-resource-set-shapes.html>
- OSLC TRS Version 3.0: Part 4: Machine-readable RDF Vocabulary. <https://docs.oasis-open-projects.org/oslcp/trs/v3.0/ps01/trs-vocab.ttl>
- OSLC TRS Version 3.0: Part 5: Machine-readable Resource Shapes. <https://docs.oasis-open-projects.org/oslcp/trs/v3.0/ps01/trs-shapes.ttl>

#### RDF Namespaces:

<http://open-services.net/ns/core/trs#>

<http://open-services.net/ns/core/trspatch#>

#### Abstract:

This specification defines a vocabulary for Tracked Resource Sets.

#### Status:

This document was last revised or approved by the [OASIS Open Services for Lifecycle Integration \(OSLC\) Open Project](#) on the above date. The level of approval is also listed above. Check the “Latest stage” location noted above for possible later revisions of this document. Any other numbered Versions and other technical work produced by the Open Project are listed at <https://open-services.net/about/>.

Comments on this work can be provided by opening issues in the project repository or by sending email to the project’s public comment list [oslcp@lists.oasis-open-projects.org](mailto:oslcp@lists.oasis-open-projects.org).

Note that any machine-readable content ([Computer Language Definitions](#)) declared Normative for this Work Product is provided in separate plain text files. In the event of a discrepancy between any such plain text file and display content in the Work Product’s prose narrative document(s), the content in the separate plain text file prevails.

#### Citation format:

When referencing this specification the following citation format should be used:

##### **[OSLC-TRS-v3.0]**

OSLC Tracked Resource Set Version 3.0. Part 2: Vocabulary. Edited by Nick Crossley. 07 February 2022. OASIS Project Specification 01. <https://docs.oasis-open-projects.org/oslcp/trs/v3.0/ps01/tracked-resource-set-vocab.html>. Latest stage: <https://docs.oasis-open-projects.org/oslcp/trs/v3.0/tracked-resource-set-vocab.html>.

## Notices

Copyright © OASIS Open 2022. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full [Policy](#) may be found at the OASIS website.

This specification is published under the [Attribution 4.0 International \(CC BY 4.0\)](#). Portions of this specification are also provided under the [Apache License 2.0](#).

All contributions made to this project have been made under the [OASIS Contributor License Agreement \(CLA\)](#).

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the [Open Projects IPR Statements page](#).

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Open Project or OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Project Specification or OASIS Standard, to notify the OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Open Project that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Open Project Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark/> for above guidance.

## Table of Contents

- 1. [Introduction](#)
  - 1.1 [Typographical Conventions and Use of RFC Terms](#)
    - 1.1.1 [References](#)
  - 1.2 [Vocabulary Terms](#)
    - 1.2.1 [RDF Vocabulary for Tracked Resource Set](#)
  - 1.3 [Conformance](#)

# 1. Introduction

*This section is non-normative.*

This specification defines a vocabulary for Tracked Resource Sets.

Note that this document is informative; the normative document for the vocabulary is the machine-readable source in [VOCAB].

## 1.1 Typographical Conventions and Use of RFC Terms

*This section is non-normative.*

As well as sections marked as non-normative, all authoring guidelines, diagrams, examples, and notes in this specification are non-normative. Everything else in this specification is normative.

The key words "**MUST**", "**MUST NOT**", "**REQUIRED**", "**SHALL**", "**SHALL NOT**", "**SHOULD**", "**SHOULD NOT**", "**RECOMMENDED**", "**NOT RECOMMENDED**", "**MAY**", and "**OPTIONAL**" in this specification are to be interpreted as described in [BCP 14](#) [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

### 1.1.1 References

#### 1.1.1.1 Normative references

[RFC2119]

S. Bradner. [Key words for use in RFCs to Indicate Requirement Levels](#). IETF, March 1997. Best Current Practice. URL: <https://www.rfc-editor.org/rfc/rfc2119>

[RFC8174]

B. Leiba. [Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words](#). IETF, May 2017. Best Current Practice. URL: <https://www.rfc-editor.org/rfc/rfc8174>

[VOCAB]

Nick Crossley; Frank Budinsky. [OSLC TRS Version 3.0: Part 3: Machine-readable vocabulary](#). <http://open-services.net>. Finalization. URL: <https://docs.oasis-open-projects.org/osl-op/trs/v3.0/ps01/trs-vocab.ttl>

## 1.2 Vocabulary Terms

### 1.2.1 RDF Vocabulary for Tracked Resource Set

#### 1.2.1.1 Vocabulary Details

The namespace URI for this vocabulary is: <http://open-services.net/ns/core/trs#>

The OSLC Core Tracked Resource Set vocabulary defines terms used in describing Tracked Resource Sets.

##### 1.2.1.1.1 Classes in this namespace (6)

[Base](#), [Change Log](#), [Creation](#), [Deletion](#), [Modification](#), [Tracked Resource Set](#)

**Base**

<http://open-services.net/ns/core/trs#Base>

*Base* is an RDFS class.

A Base identifies the initial set of resources in a Tracked Resource Set.

#### **Change Log**

<http://open-services.net/ns/core/trs#ChangeLog>

*Change Log* is an RDFS class.

A Change Log describes what resources have been created, modified or deleted, and when.

#### **Creation**

<http://open-services.net/ns/core/trs#Creation>

*Creation* is an RDFS class.

Represents a resource creation or modification change event.

#### **Deletion**

<http://open-services.net/ns/core/trs#Deletion>

*Deletion* is an RDFS class.

Represents a resource deletion change event.

#### **Modification**

<http://open-services.net/ns/core/trs#Modification>

*Modification* is an RDFS class.

Represents a resource creation or modification change event.

#### **Tracked Resource Set**

<http://open-services.net/ns/core/trs#TrackedResourceSet>

*Tracked Resource Set* is an RDFS class.

A Tracked Resource Set provides a representation of the current state of a Resource Set.

##### **1.2.1.1.2 Properties in this namespace (12)**

[afterETag](#), [base](#), [beforeETag](#), [change](#), [changed](#), [changeLog](#), [createdFrom](#), [cutoffEvent](#), [order](#), [previous](#), [rdfPatch](#), [trackedResourceSet](#)

#### **afterETag**

<http://open-services.net/ns/core/trspatch#afterETag>

*afterETag* is an RDF property.

HTTP entity tag of resource immediately after this change.

**base**

<http://open-services.net/ns/core/trs#base>

*base* is an RDF property.

An enumeration of the Resources in the Resource Set.

**beforeETag**

<http://open-services.net/ns/core/trspatch#beforeETag>

*beforeETag* is an RDF property.

HTTP entity tag of resource immediately before this change.

**change**

<http://open-services.net/ns/core/trs#change>

*change* is an RDF property.

The Change Event entries.

**changed**

<http://open-services.net/ns/core/trs#changed>

*changed* is an RDF property.

The Resource that has changed.

**changeLog**

<http://open-services.net/ns/core/trs#changeLog>

*changeLog* is an RDF property.

A Change Log providing an order series of incremental adjustments to the Resource Set.

**createdFrom**

<http://open-services.net/ns/core/trspatch#createdFrom>

*createdFrom* is an RDF property.

URI of antecedent resource for trs:Creation Change Events.

**cutoffEvent**

<http://open-services.net/ns/core/trs#cutoffEvent>

*cutoffEvent* is an RDF property.

The most recent Change Log entry that is accounted for in this Base. When *rdf:nil*, the Base is an enumeration at the start of time.

**order**

<http://open-services.net/ns/core/trs#order>

*order* is an RDF property.

The sequence in time of the Change Event.

**previous**

<http://open-services.net/ns/core/trs#previous>

*previous* is an RDF property.

The continuation of the Change Log, containing the next group of chronologically earlier Change Events.

**rdfPatch**

<http://open-services.net/ns/core/trspatch#rdfPatch>

*rdfPatch* is an RDF property.

Patch directives describing a modification to the resource's RDF representation.

**trackedResourceSet**

<http://open-services.net/ns/core/trs#trackedResourceSet>

*trackedResourceSet* is an RDF property.

A Tracked Resource Set.

### 1.3 Conformance

OSLC TRS Servers **MUST** use the vocabulary terms defined here where required, and with the meanings defined here. Servers **MAY** augment this vocabulary with additional terms. [cc-1]